Concurrent Weekly Cisplatin and Radiothrapy for Advanced Cancer : 5 Cases Analysis

Zhou Bei-bei, Changzhou Cancer Hospital

Zhou Ju-ying, Cao Jian-pin Suzhou University

B stage and 3 III B stage patients with cervical cancer were enrolled in this protocol.All patients had squamous cell carcinoma.

Age:38-55 average: 48.6

Histology: Sq.c.Ca: 1 case

Sq.c.Ca,Kerat. 3 cases

Sq.c.Ca.NK: 1cases

FIGO stage: II B stage:2 cases

III B stage: 3 cases

Tumor size: <4 cm:0





Vaginal invasion: 4 cases

Treatment:

EBRT WP:28-34GY

(15mv-xray) CS: 18-20CY

ICRT: Point A dose :24-30GY

(Micro-selectron source: 192Ir)

machine

Chemotherapy:

DDP30-45 mgseses/ bady iv gtt qiwseses $\times 5$

Result

Hematological Toxicity:

WBC: 1 Case I grade

Neutrophil: 1 Case I grade

Hgb: 1 Case I grade

Plateats: 1 Case II grade

Nonhematological Toxicity:

Nausea/Vomitong: 3 Cases I grade

Rectum/Samll intestine: 2 Cases I grade

Follow up: 11-46 months

CR: 4 cases

1 case had lungs and costal bone metatasis, Die in 2 days. Die in the 7-11-2003